



Table of Contents

STOCK MOULDING

Astragal	
Backband	
Base Cap	
Baseboard	
Bed Mould	
Brick Mould	
Casing	9-10
Chair Rail & Backer Board	
Chamfer Strip	
Corner Guard	
Cove Mould	
Crown	
Dentil Crown	
Dentil Mould	
Drip Cap	
Flooring Accessories	18
Jamb	
Lattice	
Mullion	
Panel Mould	
Paneling	
Rosettes	
Rounds	
Screen Mould	
Shingle Mould	
Shoe Mould	
Skirt Board	
S4S Board	
Stool	
Stop	25

CUSTOM MOULDING

28
28-29
29-30
32-42
43-44
45-51
54-56

COLUMNS

60-61	Round Tapered Fiberglass Columns
62-63	Pro-Lite Square Fiberglass Columns
	CPVC Bungalow Column Wraps
64-65	Aluminum Columns

DOORS

0 0 1 10	
68	Interior Doors
69-70	Interior Moulded Doors
	Wooden Storm Doors & Hardware
	Barn Door Collection
	Barn Door Hardware

DECKING & PORCH FLOORING

I.Dekk
Optima
DuxxBak - Water Shedding Deck System

BARNWOOD


80	Shiplap
80	Dimensional Lumbe

RAILING & ACCESSORIES

84-85	Aluminum Railing System
86-87	Cable Railing & Accessorie
88	Vinyl Rail Systems
88	Vinyl Rail Kits
88	Vinyl Rail Accessories

PVC MOULDING & TRIM BOARDS

92	Base Cap
92	Bed Mould
92	Brick Mould
92	Crown
92	Drip Cap
92	Mullion
	Quarter Round
	Shingle Mould
	Transom Sill
	Trim Board & Sh
	Lattice







ALL PROFILES APPEAR AT SCALE


- For your convenience, we build "job pack" orders
- Most profiles are available in flexible material
- Special order options exist for almost every component

ASTRAGAL





BACKBAND





BASE CAP



SM 163

 $^{11}\!\!/_{16}$ x $~1^3\!\!/_{8}$ - Pine, Red Oak, Primed



SM 164

 11 /16 x 1^{1} /8 - PINE, PVC



SM 166


 $^{11}\!/_{16}$ x $1^{1}\!/_{4}$ - PINE, RED OAK



SM 172

 $^5\!/8$ X $^3\!/4$ - PINE

Stock Moulding **BASEBOARD** SM 618 $9/16 \times 5^{1/4}$ - Pine, Primed $^{7}/_{16} \times 5^{1}/_{4}$ - RED OAK SM 620 $^9\!\!/_{16}$ x $4^1\!\!/_{4}$ - Pine, Primed $^{7}\!/_{16}$ x $4^{1}\!/_{4}$ - RED OAK $^{1}\!/_{2}$ x $4^{1}\!/_{4}$ - MDF SM 623 $^9\!\!/_{16}$ x $^31\!\!/_{\!4}$ - Pine, Primed $^{7}\!\!$ /16 x $3^{1}\!\!$ /4 - RED OAK $^{1}\!/_{2} \ge 3^{1}\!/_{4}$ - MDF SM 4000-5 SM 713 SM 4000-7 $^{9}/_{16} \times 3^{1}/_{4}$ $^{9}/_{16} \times 5^{1}/_{4}$ $^{9}/_{16} \times 7^{^{1}}/_{^{4}}$ - Primed PINE, PRIMED PINE, PRIMED SM 710 ⁹/16 X 4¹/4 PINE




CASING




SM 213





SM 224 - **DISCONTINUED**

 1×4 - MDF



SM 327

 11 /16 x 11 /4 - PINE, PRIMED



SM 341- **DISCONTINUED**


 $^{5}\!/\!8 \times 3^{3}\!/\!8$ - MDF



SM 366

 $^{11}\!/_{16}$ x $2^{1}\!/_{4}$ - Pine, Primed $^9\!/16$ x $2^1\!/4$ - RED OAK

 $^{5}\!/\!_{8}$ x $2^{1}\!/\!_{4}$ - MDF



SM 376

 $^{11}\!\!/_{\!16}$ x $2^{1}\!\!/_{\!4}$ - Primed



SM 440

 $^{11}/_{16} \times 2^{1}/_{2}$ - PINE



SM 442

 $^{11}\!/_{16}$ x $2^{1}\!/_{4}$ - PINE, PRIMED

 $^9\!/\text{16} \times 2^1\!/\text{4}$ - RED OAK



SM 356

 $^{11}\!/_{16}$ x $2^{1}\!/_{4}$ - Pine, Primed

 $9/16 \times 2^{1/4}$ - RED OAK

 $^{5}/_{8} \times 2^{1}/_{4}$ - MDF



SM 444

 $^{11}/_{16} \times 3^{1}/_{4}$ - PINE, PRIMED

 $9/16 \times 3^{1/4}$ - RED OAK


SM 444 A $^{11}/_{16} \times 3^{1}/_{2}$ - PINE


 $\frac{5}{8} \times \frac{31}{4} - MDF$

Stock Moulding **CASING** SM 445 SM 445 A SM 351 $^{11}\!/_{16}$ x $3^{1}\!/_{4}$ - PINE, PRIMED $^{11}\!/_{16} \ge 3^{1}\!/_{2}$ - PINE $^{11}\!/_{16}$ x $2^{1}\!/_{2}$ - PINE $^9\!\!/16 \times 3^1\!\!/4$ - RED OAK $^5\!/\!8$ x $3^1\!/\!4$ - MDF SM 460 1^1 /16 x 3^5 /8 - Pine, Primed SM 470 1^1 /16 x 3^5 /8 - Pine, Primed SM RB 3 $1^{1}\!/_{16}$ x $3^{1}\!/_{2}$ - Pine, Primed, Red Oak $1 \times 3^{1/2}$ - MDF SM 5806 $^3\!/_4$ x $5^1\!/_2$ - Poplar

CHAIR RAIL AND BACKER












COVE MOULD






CROWN











CROWN




DENTIL CROWN



SM 438 ¹¹/₁₆ x 4¹/₄ - PINE


DENTIL MOULD



PINE BEADED DENTIL MOUILDING

 $^{1}\!/_{2} \times 1^{3}\!/_{4}$

(NOT SHOWN ACTUAL SIZE)




PINE PLAIN DENTIL MOUILDING

 $^{1}/_{2} \times 1^{3}/_{4}$

(NOT SHOWN ACTUAL SIZE)


DRIP CAP



SM 187


 $1^{1}/16 \times 2$ - Pine

FLOORING ACCESSORIES




 1^{1} /16 x 3^{1} /4 - RED OAK, YELLOW PINE

 $1^{1}/16 \times 5^{1}/4$ - Red oak, yellow pine, white oak



THRESHOLD

 $^5\!/\!8$ x $3^5\!/\!8$ - RED OAK



STEP TREADS PLAIN


 $1^{1}/32 \times 11^{1}/2 \times 36$ "- RED OAK 1^{1} /32 x 11^{1} /2 x $42^{"}$ - red oak, white oak & MDF $1^{1}/32 \times 11^{1}/2 \times 48$ "- RED OAK, WHITE OAK & MDF $1^{1}\!/\!\!\!$ 32 x $11^{1}\!/\!\!\!$ 2 x 54'' - Red oak & white oak

 1^{1} /32 x 11^{1} /2 x 60" - RED OAK & WHITE OAK

 $1^{1}/32 \times 11^{1}/2 \times 72$ " - RED OAK

YELLOW PINE TREAD

1 x 11¹/8 x 12' 1 x 11¹/8 x 16'



RETURN TREADS REVERSIBLE

 $1 \times 11^{1/2} \times 36$ " - Non-Stock

 $1 \times 11^{1}\!\!/\!\! 2 \times 42^{\prime\prime}$ - Red oak & white oak

 $1 \times 11^{1/2} \times 48$ " - Red Oak & White Oak

 $1 \times 11^{1/2} \times 54$ " - Red oak & white oak


 $1 \times 11^{1}\!\!/\!\!_{2} \times 60''$ - Red Oak

 $1 \times 11^{1/2} \times 72$ " - Non-Stock

STAIR RISERS

 $^{3}/_{4} \times 7^{1}/_{2} \times 42$ "

³/₄ x 7¹/₂ x 48"



NOSING

 $1^{1}/16 \times 1^{1}/4$ - Red oak, yellow pine




DOOR PARTS STOCKED IN WIDE VARIETY OF PAINT AND STAIN GRADES

JAMB - EXTERIOR

RABBET 2³/16 TOP DADO ONLY KERFED

1¹/₄ x 4⁹/₁₆ x 6'8" 1¹/₄ x 4⁹/₁₆ x 8'0" 1¹/₄ x 6⁹/₁₆ x 6'8" 1¹/₄ x 6⁹/₁₆ x 8'0" 1¹/₄ x 8⁵/₈ x 8'0" 1¹/₄ x 4⁹/₁₆ x 16'

1¹/₄ x 6⁹/₁₆ x 16'





DOUBLE RABBET

 $1^{7}/16 - 1^{13}/16$ TOP DADO ONLY

1¹/₄ x 4⁹/₁₆ x 6'8"- PR, R, S 1¹/₄ x 4⁹/₁₆ x 8'0"- PR, R, S 1¹/₄ x 4⁷/₈ x 7'0"- R, S 1¹/₄ x 4⁷/₈ x 8'0"- R 1¹/₄ x 5¹/₄ x 7'0"- S 1¹/₄ x 5¹/₄ x 8'0"- R 1¹/₄ x 6⁹/₁₆ x 6'8"-PR, S 1¹/₄ x 6⁹/₁₆ x 8'0"- PR, R & S 1¹/₄ x 6⁷/₈ x 8'0"- R

PR- PRIMED FINGERJOINT R- RAW FINGERJOINT S- SOLID





PRIMED FJ MULL POST 2×4^{9} ₁₆ $\times 80^{1}$ ₂

DOOR PARTS STOCKED IN WIDE VARIETY OF PAINT AND STAIN GRADES

PLASTPRO KERFED POLY-FIBER - STOCK

Width	Length	Pair/Unit	Description
49/16"	6'8"	80	Primed
6 ⁹ /16"	6'8"	48	Primed
4 ⁹ /16"	6'8" & 8'	80	White Cap
6 ⁹ /16"	6'8" & 8'	48	White Cap
4 ⁹ /16"	6'8"	80	Woodgrain
4 ⁹ /16"	17'	96	Primed
6 ⁹ /16"	17'	48	Primed
4 ⁹ /16"	17'	96	White Cap
6 ⁹ /16"	17'	48	White Cap
4 ⁹ /16"	17'	96	Woodgrain
6 ⁹ /16"	17'	48	Woodgrain
180 Brickmould	17'	200	White Cap
180 Brickmould	17'	200	Woodgrain
1 x 2 Embossed Mull Cover	8'6"	200	Woodgrain
1 x 1 ¹ /2 PVC Mull Cover	8'6"	520	PVC
1 x 4 ³ /8 x 2 Mull Post	102" O.A.	90	White Cap
1 x 4 ³ /8 x 2 Mull Post	102" O.A.	90	Woodgrain

JAMB - INTERIOR

ONE-PIECE FLAT JAMB


 11 /16 x 4^{5} /8 x 6° 8"- PINE, FJ & FJ PRIMED

 $^{11}\!\text{/16} \times 4^{7}\!\text{/8} \times 6\text{'8"}\text{- PINE, FJ & FJ PRIMED}$

 $^{11}\!\text{/16}$ x $5^{1}\!\text{/4}$ x $6^{\prime}8$ "- Pine, FJ & FJ Primed

 $^{11}\!\text{/1}6\text{ x }6^5\!\text{/8}\text{ x }6^5\!\text{/8}$ "- Pine, FJ & FJ Primed


 11 /16 x 6^5 /8 x $8^{\circ}0$ "- Pine, FJ & FJ Primed




SPECIAL SIZE ROSETTES AND PLINTH BLOCKS AVAILABLE

THROUGH SPECIAL ORDER. CALL 336.249.8171

PANEL MOULD



PANELING (NICKEL GAP)



1x8 SHIPLAP

²¹/₃₂ x 7¹/₄ - PRIMED

ROSETTES

(NOT SHOWN ACTUAL SIZE)



R4M $^{7}/_{8} \times 3^{3}/_{4} \times 3^{3}/_{4} - \text{MAPLE}$



R4P $\frac{7}{8} \times \frac{3^{1}}{2} \times \frac{3^{1}}{2} - \text{PINE}$



R3P $\frac{7}{8} \times 2^{1/2} \times 2^{1/2}$ - PINE




R9P $1^{5}/16 \times 3^{7}/8 \times 3^{7}/8 - PINE$

ROUNDS

²¹/₃₂ x 5¹/₂ - PRIMED

1x6 SHIPLAP



SM 103 QUARTER ROUND

 $1^{1}/16 \times 1^{1}/16$ - PINE




SM 106 QUARTER ROUND

 $^{11}\!/_{16} \times ^{11}\!/_{16}$

PINE, PRIMED, RED OAK


SM 108 QUARTER ROUND

1/2 X 1/2 -PINE



SM 120 HALF ROUND

 1 /2 x 1 - PINE




SM 233 CLOSET ROD

 $1^{1}/4$ - PINE



SM 122 HALF ROUND

³/8 X ¹¹/16 - PINE



SM 240 HANDRAIL

 $1^{1/4} \times 2^{1/4}$ - PINE

SCREEN MOULD



SM 142

 1 4 x 3 /4 - PINE



SM 144

 1 4 X 3 /4 - PINE

SHINGLE MOULD



 $^{11}\!/_{16}$ x $^{11}\!/_{2}$ - Primed



SM 210

 $^5\!/\!8 \times 1^5\!/\!8$ - Pine, PVC

SHOE MOULD



SM 126


 $^{1}\!/_{2}$ x $^{3}\!/_{4}$ - Pine, primed, red oak $^{7}\!/_{16}$ x $^{3}\!/_{4}$ - Banak




SM 129

 7 /16 X 11 /16 - PINE, PRIMED


SILL-WINDOW



 $1^{1}\!\!/\!\!_{4}$ x $6^{1}\!\!/\!_{4}$ - Yellow Pine



Stock Moulding ALL PROFILES AVAILABLE IN FLEXIBLE MOULDING RABBETED STOOL **S4S SQUARE BOARD** S4S - MDF SM 1163 ¹¹/₁₆ x 3¹/₂ x 16' $1^{1}/16 \times 3^{1}/4$ - PINE ¹¹/₁₆ x 4¹/₂ x 16' ¹⁵/16 RABBET $^{11}/_{16} \times 5^{1}/_{2} \times 16$ SM 1164 $^{11}/_{16} \times 7^{1}/_{2} \times 16$ $1^{1}/16 \times 2^{3}/4$ - PINE $^{11}/_{16} \times 9^{1}/_{4} \times 16$ ¹⁵/16 RABBET $^{11}/_{16} \times 11^{1}/_{4} \times 16$ $1 \times 5\frac{1}{2} \times 16$ '-primed MDF only $^3\!/_4$ x $15^1\!/_4$ x 16° - raw MDF only SM 1195 3 /4 x 4' x 8' - sheet, raw MDF only 11 /16 x 21 /2 - Pine, Primed, Red Oak $^{3}/_{4}$ x 5' x 12'- raw MDF only ⁷/8 RABBET PINE, PRIMED FJ PINE, POPLAR, RED OAK **STOP** ALL DOOR STOPS AVAILABLE IN LINEAL FOOTAGE. SM 888 ALSO AVAILABLE IN 7' AND 8'2". SM 877 SM 888 $\frac{7}{16} \times 1^{\frac{1}{4}}$ - RED OAK $\frac{3}{8}$ x $\frac{1}{8}$ - Pine, Primed SM 876 $\frac{7}{16}$ x $1^{1}/8$ - red oak, primed SM 247 3 /4 x 2 - basswood, red oak SM 249 $^{11}/_{16} \times 1^{3}/_{4}$ -PINE SM 935 SM 940 $^{7}/_{16}$ X $^{7}/_{8}$ - PINE $\frac{7}{16} \times \frac{15}{8}$ - PINE SM 254 SM 936 SM 941 $^{1}/_{2}$ X $^{3}/_{4}$ - POPLAR, PINE $^{7}/_{16}$ x $^{3}/_{4}$ - PINE, RED OAK $\frac{7}{16}$ x $\frac{13}{8}$ - Pine SM 266 SM 941-A SM 937 $^{1}/_{4} \times 1^{1}/_{2}$ - PINE, PVC $^{7}\!\!/16$ x $^{5}\!\!/8$ - PINE, RED OAK $^{7}\!\!$ /16 x $1^{1}\!\!$ /4 - Pine, red oak **FLAT STOOL** $^{11}\!/_{16}$ x $5^{1}\!/_{4}\,$ - Pine, Primed $^{11}\!/_{16}$ x $7^{1}\!/_{4}$ - Primed $\frac{5}{8} \times \frac{5^{1}}{4} - MDF$








Custom mouldings are our specialty. Our lead times are short, and our finished products are unparalleled. We are committed to carrying on the art of using mouldings to add accents and embellishments that catch light and shade.

Our custom profiles illustrate the range of combinations that create unique and dramatic effects in new, remodeling, or restoration projects. Each profile can be proportionally reduced or enlarged for virtually unlimited options, even in nonstandard applications.

We operate two Weinig non-universal moulders with capacity of up to $2^{3}/4$ inches thick and 12 inches wide. Send us a sample or a drawing of your custom profiles, and our tooling department will match it. We offer many wood species, smooth or rough finish, as well as flexible materials.


PROFILES ARE NOT TO SCALE PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS






PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

BACKBAND




BASEBOARD - PLEASE SPECIFY SIZE REQUIRED





PROFILES ARE NOT TO SCALE PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

BASEBOARD - PLEASE SPECIFY SIZE REQUIRED



SMITH 4013

SMITH 4014

SMITH MIAMI


SMITH 4012

SMITH 4011




PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

BED MOULD



BRICK MOULD






PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

CASING



SMITH LWM 445

 $^{3}/_{4} \times 3^{1}/_{2}$




BABY HOWE/SM RB 1

 3 /4 x 2^{3} /8



LSM 2060

 $1^{1\!\!/}\!\!16\,x\,4^{1\!\!/}\!\!2$




SMITH/HOWE RB 2

 1^{1} /16 X 3



MISS JENNY

 $1^{1/16} \times 4^{7/8}$



SMITH/HOWE RB 3

 1^{1} /16 X 3^{1} /2



PRESTIGE

 $1^{1/16} \times 4^{1/2}$



SMITH/HOWE RB 4

 $\frac{7}{8} \times 3^{5} \times 8$




PRESIDENTIAL

 $1^{1/16} \times 4^{3/4}$



SMITH/HOWE RB 5


 $1^{1}/16 \times 3^{13}/16$






PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

CASING



 $^{3}/_{4} \times 2^{1}/_{2}$



SMITH 2026

 $^{3}/_{4} \times 3^{1}/_{8}$



SMITH 2023

 $^{3}/_{4} \times 2^{1}/_{2}$



SMITH 2027

 $^{3}/_{4} \times 2^{5}/_{8}$



SMITH 2024

 $^{3}/_{4} \times 2^{1}/_{2}$



SMITH 2028

 $^{3}/_{4} \times 3^{1}/_{8}$




SMITH 2025

 $^{3}/_{4} \times 2^{5}/_{8}$



SMITH 2029

 $^{3}/_{4} \times 2^{1}/_{2}$





SMITH 2033


 $1^{1}/16 \times 3^{1}/4$


SMITH 2037


 $1^{1}/16 \times 3^{1}/4$
















 $1^{1}\!/16 \times 4^{1}\!/4$

 $1^{1}/8 \times 3^{1}/4$











PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

CHAIR RAIL & BACKER BOARD





S-7 $1^{1/16} \times 3^{1/2}$
















 $1 \times 2^{5/8}$



PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS


CHAIR RAIL & BACKER BOARD




Custom Moulding


PROFILES ARE NOT TO SCALE PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

CROWN SMITH DEACON CROWN SMITH 5" CURTIS CROWN SM RB-7 11/16 X 55/16 11/16 X 55/8











Custom Moulding

PROFILES ARE NOT TO SCALE PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS











CROWN








CROWN SM 1147 SM 1148 SM 1149 SM 1150

1¹/16 x 6

 $^{7}/_{8} \times 6^{1}/_{8}$




 $1 \times 5^{3/4}$


 $^{3}/_{4} \times 5^{5}/_{8}$




PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

CROWN








_				
	Custom	Mou	lding	
	Custom	Mou	lumg	

HANDRAIL



Custom Moulding

PROFILES ARE NOT TO SCALE

MANTEL MOULD








 $1^{1/2} \times 5^{3/8}$








SM 3006

 $1^{1/4} \times 5^{1/2}$

SM 3005

 $1^{7/8} \times 3^{5/8}$





PROFILES ARE AVAILABLE IN FLEXIBLE MATERIALS

PANEL MOULD



SMITH 3509 ⁹/16 X 1¹/4



SMITH 3511 $\frac{5}{8} \times \frac{1^{3}}{4}$



SM LWM 134 $1 \times 1^{3}/4$



 $1 \times 2^{3}/4$



 $1^{5}/8 \times 1^{1}/2$

PANEL MOULD - BASE CAP



 $1\frac{1}{8} \times 2\frac{1}{8}$






 $1^{1/8} \times 1^{3/4}$




 $1^{1/4} \times 2$



 $^{3}/_{4} \times 2^{3}/_{4}$

1¹/8 x 2¹/8



SM 206-A

 $^{11}/_{16} \times 1^{5}/_{8}$



SM 3519 $1^{1/8} \times 1^{5/8}$



1 x 2





SM 203-A $1^{1/16} \times 1^{5/8}$


 $^{3}\!/_{4} \times 1^{5}\!/_{16}$



PANEL MOULD - CAP











Smith Millwork stocks lightweight fiberglass round or square columns in five widths ranging from 6" to 16" wide diameter. They are ideal for interior or exterior use and as railing attachments. Columns are easily cut to accommodate varied lengths or inside/outside corner installations. Ask about the following options:

- Optional non-structural, wrap-around designs
- Matching pilasters or half-columns for entrances
- Shaft options including smooth, fluted, or split for wrap-around applications and pilasters
- Decorative capitals and adjustable astragals

AFCO ROUND TAPERED FIBERGLASS COLUMNS STOCKED BY SMITH MILLWORK



ITEM	SIZE	DESCRIPTION
6 x 8 RFC	6" x 8'	Pro-Cast Round Smooth Tapered FG Column
6 RCB	6"	Poly Roman Tuscan Round Cap & Base Set
8 x 8 RFC	8" x 8'	Pro-Cast Round Smooth Tapered FG Column
8 x 9 RFC	8" x 9'	Pro-Cast Round Smooth Tapered FG Column
8 x 10 RFC	8" x 10'	Pro-Cast Round Smooth Tapered FG Column
8 RCB	8"	Poly Roman Tuscan Round Cap & Base Set
8 TCCB	8"	Poly Tuscan Round Cap & Low Profile Base Set
10 x 8 RFC	10" x 8'	Pro-Cast Round Smooth Tapered FG Column
10 x 9 RFC	10" x 9'	Pro-Cast Round Smooth Tapered FG Column
10 x 10 RFC	10" x 10'	Pro-Cast Round Smooth Tapered FG Column
10 RCB	10"	Poly Roman Tuscan Round Cap & Base Set
10 TCCB	10"	Poly Tuscan Round Cap & Low Profile Base Set
12 x 8 RFC	12" x 8'	Pro-Cast Round Smooth Tapered FG Column
12 x 9 RFC	12" x 9'	Pro-Cast Round Smooth Tapered FG Column
12 x 10 RFC	12" x 10'	Pro-Cast Round Smooth Tapered FG Column
12 RCB	12"	Poly Roman Tuscan Round Cap & Base Set
12 TCCB	12"	Poly Tuscan Round Cap & Low Profile Base Set
14 x 10 RFC	14" x 10'	Pro-Cast Round Smooth Tapered FG Column
14 RCB	14"	Poly Roman Tuscan Round Cap & Base Set
16 x 8 RFC	16" x 8'	Pro-Cast Round Smooth Tapered FG Column
16 x 10 RFC	16" x 10'	Pro-Cast Round Smooth Tapered FG Column
16 RCB	16"	Poly Roman Tuscan Round Cap & Base Set

ITEM	SIZE	DESCRIPTION
8 x 8 RFSC	8" x 8'	Split Pro-Cast Round Smooth Tapered FG Column
10 x 8 RFSC	10" x 8'	Split Pro-Cast Round Smooth Tapered FG Column
12 x 8 RFSC	12" x 8'	Split Pro-Cast Round Smooth Tapered FG Column
8 x 10 RFSC	8" x 10'	Split Pro-Cast Round Smooth Tapered FG Column
10 x 10 RFSC	10" x 10'	Split Pro-Cast Round Smooth Tapered FG Column
12 x 10 RFSC	12" x 10'	Split Pro-Cast Round Smooth Tapered FG Column

AFCO ROUND TAPERED FIBERGLASS COLUMNS - AVAILABLE TO ORDER

		DIMENSIONS					
SIZE	WT. (LBS.)	OUTSIDE SHAFT	OUTSIDE Base hei	NECK GHT B	TAPER FROM DTTOM	CENTERED LOAD LIMIT	SKID QTY'S
6"x 8'	40	4"	5 ¹¹ /16"	5"	33"	8,000	30
8"x 5'	38	6 ¹ ⁄4"	7 ⁵ ⁄8"	5 ¹ ⁄4"	5"	10,000	16
8"x 6'	40	6 ¹ /4"	7 ⁵ ⁄8"	5 ¹ /4"	6"	10,000	16
8"x 8'	51	6 ¹ /4"	7 ⁵ /8"	5 ¹ /4"	33"	10,000	16
8"x 9'	66	6 ¹ /4"	7 ⁵ /8"	5 ¹ /4"	28"	10,000	16
8"x 10'	71	6 ¹ /4"	7 ⁵ /8"	5 ¹ /4"	42"	10,000	16
10"x 5'	55	7 ¹ /2"	9 ⁵ /8"	6 ¹ /2"	5"	14,000	12
10"x 8'	72	7 ¹ /2"	9 ⁵ /8"	6 ¹ /2"	33"	14,000	12
10"x 9'	85	7 ¹ /2"	9 ⁵ /8"	6 ¹ /2"	28"	14,000	12
10"x10'	100	7 ¹ /2"	9 ⁵ /8"	6 ¹ /2"	42"	14,000	12
10"x12'	126	7 ¹ /2"	9 ⁵ /8"	6 ¹ /2"	50"	14,000	12
12"x 8'	109	9 ¹ ⁄4"	11 ⁵ ⁄8"	8"	33"	18,000	9
12"x 9'	126	91/4"	11 ⁵ ⁄8"	8"	28"	18,000	9
12"x 10'	132	9 ¹ ⁄4"	11 ⁵ ⁄8"	8"	42"	18,000	9
12"x 12'	154	9 ¹ ⁄4"	11 ⁵ ⁄8"	8"	50"	18,000	9
14"x 8'	153	11 ¹ ⁄2"	13 ⁵ /8"	81/4"	N/A	20,000	4
14"x 10'	160	11 ¹ ⁄2"	135/8"	81/4"	N/A	20,000	4
14"x 12'	184	11 ¹ /2"	135/8"	81/4"	15"	20,000	4
16"x 10'	189	137⁄8"	15 ¹ ⁄2"	83/4"	N/A	20,000	4
16"x 12'	221	11 ¹ ⁄2"	13 ⁵ /8"	8 ¹ /4"	48"	20,000	4



AFCO PRO-LITE SQUARE FIBERGLASS COLUMNS STOCKED BY SMITH MILLWORK



ITEM	SIZE	DESCRIPTION
6 x 8 SQFC	6" x 8'	Pro-Lite Square Smooth No Taper FG Column
6 SQCB	6"	Poly Square Tuscan Cap/Astragal & Base Set
8 x 8 SQFC	8" x 8'	Pro-Lite Square Smooth No Taper FG Column
8 x 9 SQFC	8" x 9'	Pro-Lite Square Smooth No Taper FG Column
8 x 10 SQFC	8" x 10'	Pro-Lite Square Smooth No Taper FG Column
8 SQCB	8"	Poly Square Tuscan Cap/Astragal & Base Set
10 x 8 SQFC	10" x 8'	Pro-Lite Square Smooth No Taper FG Column
10 x 9 SQFC	10" x 9'	Pro-Lite Square Smooth No Taper FG Column
10 x 10 SQFC	10" x 10'	Pro-Lite Square Smooth No Taper FG Column
10 SQCB	10"	Poly Square Tuscan Cap/Astragal & Base Set
12 x 10 SQFC	12" x 10'	Pro-Lite Square Smooth No Taper FG Column
12 SQCB	12"	Poly Square Tuscan Cap/Astragal & Base Set



AFCO PRO-LITE SQUARE FIBERGLASS COLUMNS - AVAILABLE TO ORDER

			DIMENSIONS			
SIZE	WT. (LBS.)	OUTSIDE SHAFT	OUTSIDE BASE	ABACUS WIDTH	CENTERED LOAD LIMIT	SKID QTY'S
6"x 8' 6"x 9' 6"x 10'	27 30 33	5 ¹ ₂ " 5 ¹ ₂ " 5 ¹ ₂ "	8 ⁷ / ₈ " 8 ⁷ / ₈ "	8 ³ 8" 8 ³ 8" 8 ³ 8"	8,500 8,500 8,500	49 49 49
8"x 8' 8"x 9' 8"x 10'	29 32 36	7 ¹ 2" 7 ¹ 2" 7 ¹ 2"	10^{1} 2" 10^{1} 2" 10^{1} 2" 10^{1} 2"	10 ³ / ₈ " 10 ³ / ₈ " 10 ³ / ₈ "	8,500 8,500 8,500	30 30 30
10"x 8' 10"x 9' 10"x 10' 10"x 12'	36 41 45 54	9 ¹ /2" 9 ¹ /2" 9 ¹ /2" 9 ¹ /2"	12 ³ / ₄ " 12 ³ / ₄ " 12 ³ / ₄ " 12 ³ / ₄ "	12 ⁷ / ₈ " 12 ⁷ / ₈ " 12 ⁷ / ₈ " 12 ⁷ / ₈ "	8,500 8,500 8,500 8,500	20 20 20 20 20
12"x 8' 12"x 9' 12"x 10' 12"x 12'	43 48 53 64	11^{1} 2" 11^{1} 2" 11^{1} 2" 11^{1} 2"	15" 15" 15" 15"	15 ⁷ 8" 15 ⁷ 8" 15 ⁷ 8" 15 ⁷ 8"	8,500 8,500 8,500 8,500	15 15 15 15
16"x 8' 16"x 9' 16"x 10' 16"x 12' 16"x 14' 16"x 16' 16"x 18' 16"x 20'	60 67 74 90 104 118 133 148	$15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$ $15^{1}2^{\circ}$	21 ¹ / ₂ " 21 ¹ / ₂ "	23" 23" 23" 23" 23" 23" 23" 23"	12,500 12,500 12,500 12,500 12,500 12,500 12,500 12,500	9 9 9 9 9 9 9


AFCO CPVC BUNGALOW COLUMN WRAPS WITH TRIM

WT(LBS.)	BASE	NECK	HEIGHT
54	16"	9"	6'
37	12"	7"	5-1/2'
41	12"	7"	6'

Bungalow has the look and feel of an early American CRAFTSMAN STYLE COLUMN. THESE COLUMNS ARE TYPICALLY INSTALLED ON A PEDESTAL AND COMPLEMENT ANY EXTERIOR OR INTERIOR RESTORATION PROJECT. MADE WITH CELLULAR PVC, THE DENSITY IS SIMILAR TO WHITE PINE AND NEVER NEEDS PAINTING BUT CAN BE PAINTED.




AFCO ALUMINUM COLUMNS STOCKED BY SMITH MILLWORK




WELLINGTON STOCK COLOR: WHITE TEX

SIZE	WT.	A	В	С	D		MAX. LOAD
6" X 8'	25	5-1/2"	8-1/2"	2"	3-1/2"	9-5/8"	12,000LBS
6" X 9'	28	5-1/2"	8-1/2"	2"	3-1/2"	9-5/8"	12,000LBS
6" X 10'	30	5-1/2"	8-1/2"	2"	3-1/2"	9-5/8"	12,000LBS
8" X 8'	27	7-1/4"	9-7/8"	3"	3-1/2"	12-3/4"	20,000LBS
8" X 9'	30	7-1/4"	9-7/8"	3"	3-1/2"	12-3/4"	20,000LBS
8" X 10'	33	7-1/4"	9-7/8"	3"	3-1/2"	12-3/4"	20,000LBS
9" X 10'	33	9"	1111/16"	3"	3-1/2"	147/16"	15,000LBS




SQUARE FLUTED STOCK COLOR: GLOSS WHITE

		DI	MENSIONS		
SIZE	WT. (LBS)	A	В	С	MAX. LOAD
6" X 8'	24	5 1/2"	8 1/2"	2"	23,000LBS
6" X 9'	27	5 1/2"	8 1/2"	2"	23,000LBS
6" X 10'	30	5 1/2"	8 1/2"	2"	23,000LBS
8" X 8'	26	7 1/2"	10 1/2"	2"	24,000LBS
8" X 9'	29	7 1/2"	10 1/2"	2"	24,000LBS
8" X 10'	30	7 1/2"	10 1/2"	2"	24,000LBS



EMPIRE STOCK COLOR: WHITE TEX

		DIN	MENSIONS		
SIZE	WT. (LBS)	A	В	С	MAX. LOAD
6" X 8'	24	5-1/2"	8-1/2"	3-1/2"	12,000LBS
6" X 9'	27	5-1/2"	8-1/2"	3-1/2"	12,000LBS
6" X 10'	30	5-1/2"	8-1/2"	3-1/2"	12,000LBS
8" X 8'	26	7-1/4"	9-7/8"	3-1/2"	20,000LBS
8" X 9'	29	7-1/4"	9-7/8"	3-1/2"	20,000LBS
8" X 10'	2	7-1/4"	9-7/8"	3-1/2"	20,000LBS
9" X 10'	33	9"	1111/16"	3-1/2"	15,000LBS



ROUND FLUTED STOCK COLOR: GLOSS WHITE

		D	IMENSIONS		
SIZE	WT. (LBS)	A	В	С	MAX. LOAD
6" X 8'	19	6"	7-9/16"	1-3/4"	20,000LBS
6" X 9'	21	6"	7-9/16"	1-3/4"	20,000LBS
6" X 10'	23	6"	9-7/16"	1-3/4"	20,000LBS
8" X 8'	24	7-5/8"	9-7/16"	2-3/16"	21,000LBS
8" X 9'	27	7-5/8"	9-7/16"	2-3/16"	21,000LBS
8" X 10'	30	7-5/8"	9-7/16"	2-3/16"	21,000LBS

AFCO ALUMINUM COLUMNS - AVAILABLE TO ORDER

ROUND FLUTED

Nominal	Std.				
Size	Lengths	Α	В	C	Max. Loading
8"	12', 16', 18', 20'	7-5/8"	9-7/16"	2-3/16"	21,000LBS
10"	8', 9', 10', 12', 16', 18', 20'	9-3/8"	11-1/4"	2-3/8"	26,000LBS
12"	8', 9', 10', 12', 16', 18', 20'	11-1/2"	15-1/8"	2-3/4"	30,000LBS
15"	12', 16', 18', 20', 24'	14-1/2"	18-3/4"	4-3/4"	33,000LBS
18"	16', 18', 20', 24'	17-3/4"	22-1/2"	5"	38,000LBS
24"	18', 20', 24'	7-5/8"	9-7/16"	2-3/16"	43,000LBS

SQUARE FLUTED

Nominal	Std. Lengths				
Size		A	В	С	Max. Loading
3"	8' 9'	3"	N/A	N/A	8,000LBS
4"	8', 9', 10'	3-1/2"	5-5/8"	1-1/7"	12,000LBS
8"	12'	7-1/2"	10-1/2"	2"	24,000LBS
10"	8', 9', 10', 12', 16', 18', 20'	10"	12-7/8"	2-11/16"	33,000LBS
12"	8', 9', 10', 12', 16', 18', 20'	11-15/16"	15-1/8"	3-3/16"	38,000LBS

EMPIRE

Nominal	Std.				
Size	Lengths	Α	В	С	Max. Load
8" 9"	12' 8', 9', 10', 12'	7-1/4" 9"	9-7/8" 11-11/16"	3-1/2" 3-1/2"	20,000LBS 15,000LBS


WELLINGTON


Std.	Dimensions					
Lengths	A	В	С	D	E	Max. Load
12'						
8', 9', 10', 12'	9"	11-11/16"	3"	3-1/2"	14-7/16"	15,000LBS
	Lengths 12'	Lengths A 12' 7-1/4"	Lengths A B 12' 7-1/4" 9-7/8"	Lengths A B C 12' 7-1/4" 9-7/8" 3"	Lengths A B C D 12' 7-1/4" 9-7/8" 3" 3-1/2"	Lengths A B C D E

AVAILABLE COLORS

GLOSS WHITE







Interior Doors OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO AVAILABLE—CALL FOR LEAD TIMES. **INTERIOR DOORS - 13/8"** 13/4" STOCK <u>6/8</u> ht <u>6/8</u> ht <u>6/8</u> HT <u>7/0</u> HT <u>6/8</u> HT 1/4 1/6 1/6 1/6 1/8 1/8 2/0 2/0 2/4 2/6 2/6 2/6 2/6 2/8 2/8 2/8 2/8 3/0 3/0 3/0 FLUSH LAUAN H/C FLUSH BIRCH H/C FLUSH BIRCH S/C <u>6/8</u> ht <u>6/8</u> ht <u>6/8</u> HT <u>6/8</u> ht 1/6 1/8 2/0 2/0 2/0 2/4 2/4 2/4 2/4 2/6 2/6 2/6 2/6 2/8 2/8 2/8 2/8 3/0 3/0 3/0 3/0 108 6-PANEL **FULL LOUVER** 2 PANEL SHAKER PLANTATION LOUVER RADIATA - PINE RADIATA - PINE PRIMED PRIMED <u>8/0</u> HT <u>6/8</u> ht <u>6/8</u> HT <u>6/8</u> ht 1/6 - 5 LIGHT 1/8 - 5 LIGHT 2/4 - 15 LIGHT 2/0 2/0 - 12 LIGHT 2/0 - 10 LIGHT 2/6 - 15 LIGHT (PINE & PRIMED) (PINE & PRIMED) 2/6 - 18 LIGHT 2/8 - 15 LIGHT 2/6 2/8 2/8 - 18 LIGHT 3/0 - 15 LIGHT 3/0 3/0 - 18 LIGHT 18 LIGHT 1510 FRENCH DOORS SINGLE LIGHT 1515 FRENCH DOORS

RADIATA - PINE

RADIATA - PINE


RADIATA - PINE


RADIATA - PINE


Interior Doors

OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO AVAILABLE—CALL FOR LEAD TIMES.

INTERIOR MOULDED DOORS - 13/8"







2 PANEL ROMAN*

5 PANEL RIVERSIDE

- * Cheyenne and Roman 8/0 height available in SOLID CORE in: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 OUT OF WARE-HOUSE.
- ** 2 PANEL ARCH TOP in both SMOOTH and TEXTURED, and 3 PANEL TEXTURED available in SOLID CORE by SPECIAL ORDER.




SMOOTH

2 PANEL* SMOOTH




2 PANEL ARCH TOP** **TEXTURED**




2 PANEL CHEYENNE* SMOOTH

6/8 HT H/C S/C		8/0 HT Solid core Only	
1/3 1/4 1/6 1/8	1/4 1/6	1/6	
2/0	2/0	2/0	
2/4 2/6 2/8	2/4 2/6 2/8	2/4 2/6 2/8	
2/10 3/0	3/0	3/0	

2 PANEL LOGAN



3 PANEL WINSLOW SMOOTH



1 PANEL LINCOLN PARK SMOOTH

Interior Doors

MOULDED BIFOLD - 13/8"





6 PANEL TEXTURED & SMOOTH

2 PANEL ARCH TOP TEXTURED









Interior Doors

COMBINATION DOOR COMPANY EASY CHANGE COMBINATION STORM DOORS

With a Wood Combination Door, You Have Choices.

The Easy-Change Door is timeless. No matter what style of home you have, there is an Easy-Change Door that will capture its beauty. A large selection of designer grille inserts can also add distinction to your home.

And the Difference is Forever.

An Easy-Change Door means true craftsmanship. Each door is handmade of solid wood and engineered components, which means your door is one of a kind that's going to endure over time. Made from the natural beauty of wood, an Easy-Change Door is handcrafted with precision and pride.

Increase the Value of Your Home.

The Easy-Change Door is an easy way to increase the value of your home without significant cost. Secure and energy efficient, an Easy-Change Door adds a natural look of elegance and beauty. They're also durable, meaning you can restore any sign of wear and tear, unlike aluminum doors.

Customize Your Door.

Easy-Change Doors are handmade; therefore, we can offer customized doors that reflect the individual beauty of your home. With all of the planning and care that goes into building or restoring a home, we can offer specialty doors that match your specifications. And once you have your door home, don't forget about colors. While aluminum doors are only available in basic colors, Easy-Change Doors made from natural wood allow endless choices in both paint and stain.



SIX LIGHT STORM DOOR

 $1^{1}/8 \times 2^{-8} \times 6^{-9}$ - Ponderosa Pine $1^{1}/8 \times 3^{-0} \times 6^{-9}$ - Ponderosa Pine ONE LIGHT STORM DOOR

 $1\frac{1}{8}$ x 2-8 x 6-9 - Ponderosa Pine $1^{1}/8 \times 3^{-0} \times 6^{-9}$ - Ponderosa Pine



ULTRA - VU STORM DOOR $1^{1}/8 \times 3^{-0} \times 6^{-9}$ - Ponderosa Pine



EASY CHANGE™ DELUXE HARDWARE KIT FOR STORM & SCREEN DOORS

This kit includes everything you need for quick installation of wood combination doors.

- Top quality lockset in brass, satin aluminum or black with privacy latch.
- Matching hinges add a proud complement to your storm door.
- Heavy duty black door closure, easily adjusted to regulate the door closing speed.
- Black safety chain guard, the necessary guard against that sudden gust of wind.

The kit also includes easy-to-follow instructions and tips for finishing your wood door for lasting beauty.

Barn Doors

OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO AVAILABLE—CALL FOR LEAD TIMES.

GLOBAL POINTE KNOTTY ALDER BARNDOOR COLLECTION



1 PANEL SHAKER 3/0 X 7/0 X 1-3/8



2 PANEL SHAKER 3/0 X 7/0 X 1-3/8



1 PANEL DIAGONAL 3/0 X 7/0 X 1-3/8



2 PANEL DIAGONAL 3/0 X 7/0 X 1-3/8

Barn Door Hardware

ULTRA BARN DOOR HARDWARE

STRAIGHT STRAPS







ITEM	LENGTH	FINISH
61240	78-3/4"	Stainless Steel
61241	78-3/4"	Black
61242	78-3/4"	Bronze

ITEM	LENGTH	FINISH
61245	96"	Stainless Steel
61246	96"	Black
61247	96"	Bronze

BENT STRAPS







ITEM	LENGTH	FINISH
61250	78-3/4"	Stainless Steel
61251	78-3/4"	Black
61252	78-3/4"	Bronze

I	ITEM	LENGTH	FINISH
	61255	96"	Stainless Steel
	61256	96"	Black
	61257	96"	Bronze

..... EXPANSION PARTS

TRACK ONLY

ITEM	LENGTH	FINISH
61280	96"	Stainless Steel
61281	96"	Black
61282	96"	Bronze




TRACK JOINER KIT


ITEM	LENGTH	FINISH
61285	-	Stainless Steel
61286	-	Black
61287	-	Bronze

..... HANDLES



- Overall Length 9"
- Screw Holes 7-3/8" C to C
- Projection 1-1/2"
- Furnished with Screws (2)





Decking

GREEN BAY DECKING

I.DEKK

I.Dekk is a hybrid engineered deck system with a brushed look, low maintenance requirements, and ability to maintain its color, even when in direct sun. I.Dekk contains no wood fillers and is made from a combination of rice hulls, Biodac* reinforcers, and high-density polyethylene resins. I.Dekk is resistant to mold, mildew, decay, and scratching. Backed by a Limited Lifetime Warranty, it never requires painting or sealing.

Available Stock Color Options: Walnut, Mahogany, Cedar, Driftwood, Rustic Red and Copper Caynon



&G DECKBOARD	PERIMETER STRIP

STYLE	LENGTH	UNIT
S4S Board	12' -16'-20' Lengths	48
Tongue & Groove	12'-16'-20' Lengths	48
Deck Boards		
Feature Strip	12' Length Only	24
Perimeter Strip	12' Length Only	24
Fascia Board	12' Length Only	24
S4S Endcap	Reversible Endcap	
Tongue & Groove	Right and Left Endcap	
Endcap		
Stainless Steel	#7 x 21/4	350 per box
Trim Head Screws		•
Post Sleeves	6" x 6" x 12"	
Post Cap	6" x 6"	
Trim Ring	6"	

OPTIMA DEKK LT

Optima Dekk LT brings science and beauty together in a new era of manufactured decking. For homeowners or contractors with a desire for a low-maintenance product at an affordable price, Optima Dekk LT is your obvious choice.



TANNED LEATHER



RIVER STONE



TREE BARK

LENGTH 12'-16'-20' 64 pcs.

OPTIMA DEKK

OPTIMA™ Outdoor Living decking is the most technologically advanced composite decking product in the industry. OPTIMA™ decking leveraged scientific research to create a groundbreaking composite decking system with no wood or PVC. As a result, every aspect of the OPTIMA™ product line is specifically designed to combat everything Mother Nature can muster—from excessive moisture to severe freeze/thaw cycles.

LENGTH		UNIT	
12'-16'-20' Lengths - Grooved	Solid - 20' only	48 pcs.	



Dark Mahogany



BOARDWALK GRAY



Warm Cedar



DARK WALNUT

Decking

BRUSHED DUXXBAK



Mahogany Walnut



RUSTIC RED COPPER CAYON



CAPPED DUXXBAK

WARM CEDAR BLACK WALNUT



DARK MAHOGANY BOARDWALK GRAY



DUXXBAK DRY-SPACE DECKING SYSTEM

DuxxBak is the only complete non-vinyl water shedding deck system on the market. It is ICC rated at 24" joist spacing and composed of a combination of Biodac*, rice hulls, high-density polyethylene resins, and other ingredients. It contains no wood flour and is resistant to fading, mold, mildew, decay, and scratching. DuxxBak is backed by a Lifetime Transferable Warranty.

Available Stock Color Options: Walnut, Mahogany, Cedar, Driftwood, Rustic Red and Copper Canyon.

LENGTH	UNIT
12'-16'-20'-24' Lengths	42 pcs.
Endcaps Right and Left	
#7 x $21/4$ Stainless Steel Trim Head Screws	350 per box
#7 x $15/8$ Stainless Steel Trim Head Screws	570 per box




DUXXBAK ENDCAP


Green Bay Decking's Capped Duxxbak

Green Bay Decking's Capped DuxxBak has all the benefits of the orignal Duxx-Bak but with a new hard shell cap. It comes in four distinctive colors that are warranted to last a lifetime.

* Use Optima S4S boards for stair treads.

cs.
er box
er box





Barnwood

FOREVER BARNWOOD

SHIPLAP - IN STOCK, CALL FOR SIZES AND COLORS


Our barnwood shiplap wall coverings are sought after for their visual impact. This type of barnwood interior wall is often characterized by long wooden planks mounted horizontally with nickel (small) gaps in between. Our most popular shiplap size is the 6.25" model. Our shiplap can cover up to 20% more square footage than similarly sized products from competitors. When shopping for shiplap products it is important to understand that our product covers more square footage, for the money, than other comparable products. Our products are reversible, too. One side has a weathered texture the other side features saw marks that are typical of lumber that was milled on a traditional circle saw mill. You can choose to install them with the popular nickel (small) gap or you can fit them together for a seamless look.



DIMENSIONAL LUMBER

Forever Barnwood 1" and 2" product is perhaps our most versatile. Our 1" product can be used as wall coverings, trim/ casings, banding, wall caps, skirt boards, treads and risers. It can be fashioned into furniture, benches, countertops, wine racks and about any other rustic looking application you can think of. It is available in a variety of dimensions not readily available in reclaimed barn wood. The 2" product makes great rustic countertops, bar rails, shelves, banding, and furniture. 2" product is available with or without cow rub.

Call for in stock colors and sizes.



Rarnwood

BARN DOORS

Our standard door size is 3' x 7' even though industry standard doors are 6' 8". The reason for this is to allow our doors to reach the track that's mounted above the door opening. By having the door an extra 4"taller, it will fit "standard" openings perfectly! Our doors are also 1-3/4" thick. Hardware sold seperately.

Inlay options available.

Contact for special order designs, sizes and colors.



ALSO AVAILABLE BY SPECIAL ORDER

BEAMS



STAIR PARTS


MANTELS





FLOORING







ALUMINUM AFCO RAILING & ACCESSORIES

AFCO-Rail Aluminum features classic lines that enhance any architectural setting. Extruded from 6063 aluminum alloy, AF-CO-Rail will not rust. Extruded, machined brackets afford great strength, durability and ease of installation. AFCO-Rail Aluminum is finished with durable AAMA 2604 powder coat paint. Smith Millwork stocks 36" high railing with the ability to special order 42". Railing is offered in Black and Bronze.

SERIES 100 LEVEL RAIL

AVAILABLE IN 4, 6, 8, 8 to



Level (included with each Rail Kit)



45 Degree (requires 4" or wider post)





SERIES 100 FIXED & ADJUSTABLE STAIR RAIL

AVAILABLE IN 4, 6, 8' & 10'

FIXED STAIR RAIL



BRACKET SETS

(INCLUDED WITH EACH RAIL KIT) FIXED STAIR



TOP



BOTTOM

ADJUSTABLE STAIR



TOP



BOTTOM

ADJUSTABLE STAIR RAIL



3" POST TO POST KITS

38", 44" & 54" SIZES





- KIT CONTAINS:
- 3" Aluminum Post
- Aluminum Cap & BASE
- ACQ PAD

4" POST TO POST KITS

38" & 44" SIZES






- KIT CONTAINS:
- 4"Aluminum Post
- Aluminum Cap & BASE
- ACQ PAD

1-7/8" OVER THE POST KITS

FOR 36" LEVEL & FIXED STAIR RAIL







- •Aluminium Base Trim
- ACQ PAD



Over-The-Post Line Post





Over-The-Post 45* Post



OVER-THE-POST END POST



OVER-THE-POST FIXED STAIR LINE POST

Railing & Accessories

ALUMINUM AFCO RAILING & ACCESSORIES

ADJUSTABLE GATE KIT



KIT CONTAINS:

- Two 1-7/8" Post with Over-the-Post End Post Top Rail Brackets to serve as the vertical framework of the gate.
- •Two Center Rail Mounting Brackets

Adjustable Gate Kit requires a section of AF-CO-Rail Aluminium Level Rail

- •Rail section can be cut to any width required for the opening
- •Does not include hinges, latches or mounting hardware

Also available:

- Black Latch Key Lock
- Black Top Pull Safety Latch
- Self-Closing Hinges (Black-per pair)

•••••	·····			
BRONZE	BLACK	WHITE TEXTURE	SIZE	DESCRIPTION
100L-4 BZTX	100L-4 BTX	100L-4 WHTX	36" x 48"	4' Level Series 100 Rail
100L-6 BZTX	100L-6 BTX	100L-6 WHTX	36" x 72"	6' Level Series 100 Rail
100L-8 BZTX	100L-8 BTX	100L-8 WHTX	36" x 96"	8' Level Series 100 Rail
100L-10 BZTX	100L-10 BTX	100L-10 WHTX	36" x 120"	10' Level Series 100 Rail
100S-4 BZTX	100S-4 BTX	100S-4 WHTX	36" X 48"	4' Fixed Angle Stair Series 100 Rail
100S-6 BZTX	100S-6 BTX	100S-6 WHTX	36" x 72"	6' Fixed Angle Stair Series 100 Rail
100S-8 BZTX	100S-8 BTX	100S-8 WHTX	36" x 96"	8' Fixed Angle Stair Series 100 Rail
100S-10 BZTX	100S-10 BTX	100S-10 WHTX	36" x 120"	10' Fixed Angle Stair Series 100 Rail
100AS-6 BZTX	100AS-6 BTX	100AS-6 WHTX	36" x 72"	6' Adjustable Stair Series 100 Rail
100AS-8 BZTX	100AS-8 BTX	100AS-8 WHTX	36" x 96"	8' Adjustable Stair Series 100 Rail
RB-4 BZTX	RB-4 BTX	RB-4 WHTX		4' Round Baluster Kit
RB-6 BZTX	RB-6 BTX	RB-6 WHTX		6' Round Baluster Kit
RB-8 BZTX	RB-8 BTX	RB-8 WHTX		8' Round Baluster Kit
RB-10 BZTX	RB-10 BTX	RB-10 WHTX		10' Round Baluster Kit
SQB-4 BZTX	SQB-4 BTX	SQB-4 WHTX		4' Square Baluster Kit
SQB-6 BZTX	SQB-6 BTX	SQB-4 WHTX		6' Square Baluster Kit
SQB-8 BZTX	SQB-8 BTX	SQB-8 WHTX		8' Square Baluster Kit
SQB-10 BZTX	SQB-10 BTX	SQB-10 WHTX		10' Square Baluster Kit
002 10 22111	SQAB-6/42 BTX	002 10 111111	42" x 6'	42" Square Baluster Kit
	SQAB-8/42 BTX		42" x 8'	42" Square Baluster Kit
RAB-4 BZTX	RAB-4 BTX	RAB-4 WHTX	Fixed Stair Applications	4' Round Angled Baluster Kit
RAB-6 BZTX	RAB-4 BTX	RAB-4 WHTX RAB-6 WHTX	Fixed Stair Applications	6' Round Angled Baluster Kit
RAB-8 BZTX	RAB-8 BTX	RAB-8 WHTX	Fixed Stair Applications	8' Round Angled Baluster Kit
			• •	C
SQAB-4 BZTX	SQAB-4 BTX	SQAB-4 WHTX	Fixed Stair Applications	4' Square Angled Baluster Kit
SQAB-6 BZTX	SQAB-6 BTX	SQAB-6 WHTX	Fixed Stair Applications	6' Square Angled Baluster Kit
SQAB-8 BZTX	SQAB-8 BTX	SQAB-8 WHTX	Fixed Stair Applications	8' Square Angled Baluster Kit
SQAB-10 BZTX	SQAB-10 BTX SQAB-6/42 BTX	SQAB-10 WHTX	Fixed Stair Applications 42" x 6'	10' Square Angled Baluster Kit 42" Square Angled Baluster Kit
	SQAB-8/42 BTX	SQAB-8/42 WHTX	42 x 0 42" x 8'	42" Square Angled Baluster Kit
	-	•		1 0
3x38PK BZTX	3x38PK BTX	3x38PK WHTX	Post-To-Post	3" x 3" x 38" Square Post Kit
3x44PK BZTX	3x44PK BTX	3x44PK WHTX	Post-To-Post	3" x 3" x 44" Square Post Kit
3x54PK BZTX	3x54PK BTX	3x54PK WHTX	Post-To-Post	3" x 3" x 54" Square Post Kit 4" x 4" x 38" Square Post Kit
4x38PK BZTX	4x38PK BTX	4x38PK WHTX	Post-To-Post	4 X 4 X 38 Square Post Kit
4x44PK BZTX	4x44PK BTX	4x44PK WHTX	Post-To-Post	4" x 4" x 44" Square Post Kit
HDW-AS BZTX	HDW-AS BTX	HDW-AS WHTX		
HDW-L BZTX	HDW-L BTX	HDW-L WHTX		Level Rail Hardware Kit
HDW-S BZTX	HDW-S BTX	HDW-S WHTX		Stair Rail Hardware Kit
45BS BZTX	45BS BTX	45BS WHTX		Level Rail - 45 Degree Bracket Kit
O-45HP BZTX	O-45HP BTX	O-45HP WHTX		0-45 Level Rail Bracket Kit
AGK BZTX	AGK BTX	AGK WHTX	26" 26"	Adjustable Gate Kit
	FWG36 BTX FWG42 BTX		36" x 36" 42" x 36"	Fixed Welded Gate
KLGL BZTX	KLGL BTX	KLGL WHTX	42 X 30	Fixed Welded Gate Black Key Latch Key Lock
OTP LBP BZTX	OTD I DD DTV	OTP LBP WHTX	Over-The-Post	Lina Product Doct
OTP 18P BZTX OTP 90BP BZTX	OTP LBP BTX OTP 90BP BTX	OTP LBP WHTX OTP 90BP WHTX	Over-The-Post Over-The-Post	Line Bracket Post 90 Degree Bracket Post
OTP 45BP BZTX	OTP 45BP BTX	OTP 45BP WHTX	Over-The-Post	45 Degree Bracket Post
OTP EP BZTX	OTP EP BTX	OTP EP WHTX	Over-The-Post	End Post
OTP FSLP BZTX	OTP FSLP BTX	OTP FSLP WHTX	Over-The-Post	Fixed Stair Line Post
22.5 BS BZTX	22.5 BS BTX	22.5 BS WHTX		22.5 Degree Bracket Kit



AFCO SERIES 175 CABLE RAILING & ACCESSORIES

RAIL KIT

- Breadloaf Top Rail with Stabilizer Baluster Connector Attached.
- Bottom Rail with Stabilizer Baluster Connector Attached.
- Pre-Drilled Stabilizer Baluster
- Top and Bottom Rail Mounting Brackets
- Support Block Material
- Mounting Hardware



INFILL OPTIONS

- 1/8" Braided 316 Stainless Steel Cable with 2-3/4" pre-swaged threaded stud and mounting hardware.
- Terminating fittings, for both Line and Corner run applications, packed separately.






Corner Fitting




Line Fitting

POST OPTIONS

- Line Post pre-drilled on opposing sides for cable
- Corner Post pre-drilled on opposing sides for cable runs and threaded on middle side for corner fitting.







Fixed Stair Accommodates 32 to 36 degrees



AFCO SERIES 200 RAILING & ACCESSORIES

RAIL KIT

- Unique top rail profile can accommodate a deck board, wood or composite, mounted on top to draw the color of the decking into the rail.
- Bottom Rail with Stabilizer Baluster Connector Attached.
- Top and Bottom Mounting Brackets
- Support Block Material
- Mounting Hardware



INFILL OPTIONS

- 3/4" Round or Square Baluster
- Cut to Length for 36" or 42" installed rail height
- Packaged in Exact Counts for each rail length




ADDITIONAL INFORMATION

Style	Length				Height		Baluster Style	
	4′	6′	8′	10 ′	36″	42"	Square	Round
Level	0		0	0	0	0	0	0
Fixed Stair	0		0		•	•	0	0



Fixed Stair Accommodates 32 to 36 degrees



Level

Railing & Accessories

FAIRWAY VINYL RAILING SYSTEMS

V110

6', 8', AND 10' LEVEL KITS / 6' AND 8' STAIR KITS

- 36" Residential / 42" Commercial (Special Order)
- Limited Lifetime Warranty
- ICC AC174-09 Compliant / ESR #1657





V220

6', 8', AND 10' LEVEL RAIL KITS / 6' AND 8' STAIR RAIL

- 36" Residential / 42" Commercial (Special Order)
- Limited Lifetime Warranty
- 100% Virgin Vinyl PVC
- 6' / 8' / 10' Level Rail Kits
- 6' and 8' Stair Rail Kits (29° 35°)

FAIRWAY VINYL RAIL KITS

FAIRWAY VINYL RAIL ACCESSORIES

ITEM# DESCRIPTION	
LAN-6 SQ Landmarke Level Rail Kit - White - Square Baluster - 6'	4 CPC 4" White Classic Post Cap
LAN-8 SQ Landmarke Level Rail Kit - White - Square Baluster - 8'	4 EPPC 4" White External Pyramid Post Cap
LAN-10 SQ Landmarke Level Rail Kit - White - Square Baluster - 10'	4 NEPC 4" White New England Post Cap
SLAN-6 SQ Landmarke Stair Rail Kit - White - Square Baluster - 6'	4 CPTR 4" (1 pc) White Classic Post Trim Ring
SLAN-8 SQ Landmarke Stair Rail Kit - White - Square Baluster - 8'	4 NEPTR 4" (1 pc) White New England Post Trim Ring
LAN-6 TU Landmarke Level Rail Kit - White - Turned Baluster - 6'	6 CPC 6" White Classic Post Cap
LAN-8 TU Landmarke Level Rail Kit - White - Turned Baluster - 8'	6 CPTR 6" (1 pc) White Classic Post Trim Ring
LAN-10 TU Landmarke Level Rail Kit - White - Turned Baluster - 10'	
SLAN-6 TU Landmarke Stair Rail Kit - White - Turned Baluster - 6'	CON MB Contour Level White Mounting Bracket
SLAN-8 TU Landmarke Stair Rail Kit - White - Turned Baluster - 8'	SCON MB Contour Stair White Mounting Bracket
CON-6 SQ Contour Classic Level Rail Kit - White - Square Baluster - 6'	LAN LBK Landmarke Level White Mounting Bracket
CON-8 SQ Contour Classic Level Rail Kit - White - Square Baluster - 8'	LAN SBK Landmarke Stair White Mounting Bracket
CON-10 SQ Contour Classic Level Rail Kit - White - Square Baluster - 10'	LAN BAK Landmarke Bracket Adapter Kit
SCON-6 SQ Contour Classic Stair Rail Kit - White - Square Baluster - 6'	
SCON-8 SQ Contour Classic Stair Rail Kit - White - Square Baluster - 8'	
4x4 39PS 4 x 4 x 39" White Post Sleeve Bagged	4x4 CPP Colonial Porch Post - White - 4" x 4" x 108"
4x4 48PS 4 x 4 x 48" White Post Sleeve Bagged	5x5 CPP Colonial Porch Post - White - 5" x 5" x 108"
4x4 96PS 4 x 4 x 96" White Post Sleeve Bagged	5X5 TPP Traditional Porch Posts - White - 5" x 5" x 108"
4x4 108PS 4 x 4 x 108" White Post Sleeve Bagged	UPPTR (4 pc) Universal "PORCH" Post Trim Ring - White
6x6 108PS 6 x 6 x 108" White Post Sleeve Bagged	UPSTR (4 pc) Universal Post "SLEEVE" Trim Ring - White
6.5 x 6.5 108PS 6.5 x 6.5 x 108" White Post Sleeve Bagged	
4x4 42SP 4 x 4 x 42" Structural Post	90 QRB 90 Degree Quick Return - White
4x4 120APW 4 x 4 x 120" White Adjustable Post Wrap	8-8 SGR 8'8" Secondary Grab Rail - White
6x6 120APW 6 x 6 x 120" White Adjustable Post Wrap	Alum Con Aluminum Connector
	3 MB 3" Mounting Bracket




FAIRWAY COMPOSITE RAILING - SPECIAL ORDER

A more traditional style of railing, Fairway's composite railing features:

- larger profile
- two-piece top railing, ideal for in-rail LED lighting
- available in two colors
- five modern infill options










AVAILABLE COLOR OPTIONS







AVAILABLE INFILL OPTIONS







PVC Moulding & Boards





QUARTER ROUND



SM 105

 $^{3}\!\!/_{4} \times ^{3}\!\!/_{4}$

SHINGLE MOULD



SM 210

¹¹/16 x 1⁵/8

TRIM BOARD & SHEETS

SHEETS

¹/2 x 4'x 8'

 $^{3}\!/_{4} \times 4^{\prime} \times 8^{\prime}$

³/₄ x **4**'x 10'

³/4 x 4'x 12'

S4S

³/₄ x 3¹/₂ x 18'

 $^{3}/_{4} \times 5^{1}/_{2} \times 18$

 3 /4 x 7^{1} /4 x 18'

 $^{3}/_{4} \times 9^{1}/_{4} \times 18'$

³/4 x 11¹/4 x 18'

⁵/8 x 3¹/2 x 18'

⁵/8 x 5¹/2 x 18'

⁵/8 x 7¹/4x 18'

 $^{5}\!\!/_{4} \ge 3^{1}\!\!/_{2} \ge 18'$


 $^{5}\!/_{4} \times 5^{1}\!/_{2} \times 18'$


 $^{5}\!/_{4} \, \, x \, 7^{1}\!/_{4} \, x \, 18'$

 5 /4 x 9^{1} /4 x 18'

⁵/4 x 11¹/4 x 18'

SILL






948 PVC SILL

1¹/4 x 5 x 16'

TRANSOM MULL

SLOPED TRANSOM MULL


1¹/32 x 1 ³/8 x 14'



LATTICE

SM 266 $^{1}\!/_{4} \times 1^{1}\!/_{2}$

 Notes	







920 Robbins Street | P.O. Drawer T | Lexington, NC 27292 336.249.8171 | 800.222.8498 | fax: 336.243.2688 | www.smithmillwork.com ©Copyright 2020. Smith Millwork, Inc. All rights reserved.